



# MONOGRAM

C O L L E C T I O N

1200x600mm



Comfort  
with  
living life

MONOGRAM  
Series



## TECHNICAL SPECIFICATION

---



LONG  
DURABILITY



EASY TO  
CLEAN



IMPACT  
RESISTANCE



HYGIENIC  
SURFACE



FIRE  
RESISTANCE



CHEMICAL  
RESISTANCE



FROST  
RESISTANCE



LOW WATER  
ABSORPTION



DIMENSIONAL  
STABILITY



EASY  
INSTALLATION



THERMAL  
RESISTANCE



CRAZING  
RESISTANCE

## SUITABLE APPLICATIONS

---



RESIDENTIAL



COMMERCIAL  
BUILDING



HOTEL,  
RESTAURANT



HOSPITAL



AIRPORT



SCHOOL,  
COLLEGE



GYMNASIUM



HALL &  
CORRIDOR



MALL & SUPER  
MARKET



INDUSTRY




SPA




RELIGIOUS  
PLACE

# INDEX

---



MONOGRAM FOREST



MONOGRAM OCEAN



MONOGRAM DUSK




MONOGRAM GRIS



MONOGRAM BLANCO



MONOGRAM CLOUD




MONOGRAM DOVE



MONOGRAM SUEDE



MONOGRAM MANILA



MONOGRAM CAMELLO

MONOGRAM

# INDEX

---



MONOGRAM IVORY



MONOGRAM BROWN



MONOGRAM TERRA



MONOGRAM CANARY



**GVT |**  
600X1200 MM

Choose your  
living chunk

600x  
1200mm

## MONOGRAM SERIES



MONOGRAM FOREST R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS



BUILDING FACADE



600x  
1200mm

## MONOGRAM SERIES



MONOGRAM OCEAN R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS



BUILDING FACADE



600x  
1200mm

## MONOGRAM SERIES



MONOGRAM DUSK R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS




BUILDING FACADE



600x  
1200mm

## MONOGRAM SERIES



MONOGRAM GRIS R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS



BUILDING FACADE




600x  
1200mm


## MONOGRAM SERIES



MONOGRAM BLANCO R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS



BUILDING FACADE



600x  
1200mm

## MONOGRAM SERIES



MONOGRAM CLOUD R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS




BUILDING FACADE



600x  
1200mm

## MONOGRAM SERIES



MONOGRAM DOVE R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS



BUILDING FACADE




600x  
1200mm


## MONOGRAM SERIES



MONOGRAM SUEDE R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS




BUILDING FACADE



600x  
1200mm

## MONOGRAM SERIES



MONOGRAM MANILA R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS



BUILDING FACADE



600x  
1200mm

## MONOGRAM SERIES



MONOGRAM CAMELLO R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS



BUILDING FACADE




600x  
1200mm

## MONOGRAM SERIES



MONOGRAM IVORY R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS




BUILDING FACADE




600x  
1200mm


## MONOGRAM SERIES



MONOGRAM BROWN R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS



BUILDING FACADE



600x  
1200mm

## MONOGRAM SERIES



MONOGRAM TERRA R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS




BUILDING FACADE



600x  
1200mm

## MONOGRAM SERIES



MONOGRAM CANARY R1



R2



R3



LIVING SPACE



COMMERCIAL SPACE



MIN. 3MM SPACER



WALL CLADDING



PUBLIC SPACE



COUNTER TOPS



9MM THICKNESS



BUILDING FACADE



## CLEANING & MAINTENANCE

Our products are non porous (due to their high quality raw materials, stringent production parameters and state of the art technology), hence any dust or deposited waste cannot penetrate the surface.

For most cases only a damp cloth is sufficient for cleaning.

Regular cleaning highlights the aesthetic features of the surface and gives it exceptional shine.

For highly aggressive cleaning caused by some common food and substances follow the table below.

TYPE OF STAIN	CHEMICAL PRODUCT	EXAMPLE
Grease	Alkaline - Solvent	Detergent
Oil	Solvent	Ammonia, Baking Soda
Ink	Oxidant - Solvent	Alcohol, Liquid Bleach, Nail Paint Remover
Rust	Acid	Hydrochloric Acid, Vinegar, Red Harpic
Lime	Acid	Descaling Agents, Hydrochloric Acid
Cement	Acid	Hydrochloric Acid
Wine	Alkaline	Ammonia, Liquid Bleach
Coffee	Alkaline - Solvent	Ammonia, Liquid Bleach
Rubber	Solvent	Alcohol, Thinner
Plaster	Acid	Hydrochloric Acid
Candle Wax	Solvent	Alcohol, Thinner
Iodine	Oxidant	Liquid Bleach
Blood	Oxidant	Liquid Bleach
Ice Cream	Alkaline	Liquid Bleach

Note: It is recommended that any kind of stain needs to be cleaned immediately, as soon as possible.

## TECHNICAL SPECIFICATIONS

CHARACTERISTICS	STANDARD AS PER ISO-13006/2018 En14411 gr.bla	OUR VALUE	TEST METHOD
<b>Regulatory Properties</b>			
Deviation in Length & Width	+0.5%	+0.2%	ISO 10545-2
Deviation in Thickness	+5%	+5%	ISO 10545-2
Straightness of Sides	+0.5%	+0.2%	ISO 10545-2
Rectangularity	+0.5%	+0.2%	ISO 10545-2
Surface Flatness	+0.5%	+0.3%	ISO 10545-2
Colour Difference	$\Delta E < 1.00$	$\Delta E < 0.30$	ISO 10545-16
Glossiness	As per Mfg.	>90%	Gloss Meter 60'
<b>Structural Properties</b>			
Water Absorption	<0.5 %	<0.3%	ISO 10545-3
Apparent Density	As Per Mfg.	>2.20 g/cc	ISO 10545-3
<b>Massive Mechanical Properties</b>			
Modulus of Repture	Min.35N/mm <sup>2</sup>	Min.40N/mm <sup>2</sup>	ISO 10545-4
Breaking Strength	Min. 1300 N	Min. 2000 N	ISO 10545-4
Impact Resistance	As per Mfg.	Min. 0.55	ISO 10545-4
<b>Surface Mechanical Properties</b>			
Surface Abrasion Resistance	As per Mfg.	Min. class 3	ISO 10545-7
Mohs Hardness	As per Mfg.	Min. class 4	BS EN 15771
<b>Thermo Hygrometric Properties</b>			
Frost Resistance	As Per Mfg.	Frost Proof	ISO 10545-12
Thermal Shock Resistance	Min. 10 Cycle	Min. 10 Cycle	ISO 10545-9
Moisture Expansion	Max. 0.6mm/m	Max. 0.02mm/m	ISO 10545-10
Thermal Expansion	Max. $9.0 \times 10^{-6}$	Max. $6.0 \times 10^{-6}$	ISO 10545-8
<b>Chemical Properties</b>			
Chemical Resistance	As Per Mfg.	No Damage	ISO 10545-13
Stain Resistance	Resistant	Resistant	ISO 10545-14
<b>Safety Properties</b>			
Slip Resistance	As per Mfg.	N. A.	DIN 51130
Fire Resistance	As per Mfg.	Fire Proof	N. A.

## PACKING DETAILS

Dimension (mm)	No. of Pcs/Box	Square Feet
600x1200mm	2 Pcs.	15.5 Sq. ft



**Corporate Office**

📍 507, Shivam Plaza, Opp. World Trade Center, Halvad Road,  
Mahendranagar, Morbi, Gujarat - 363 642

🌐 [www.kohosurfaces.com](http://www.kohosurfaces.com) | [Kohosurfaces@zohomail.in](mailto:Kohosurfaces@zohomail.in)

